## Desktop screens - for single and bench desks

1 **Sonic screens** - upholstered, accoustic class A, pinable
2 **Zip fastener**
3 **Frame** - glued solid wood structure
4 **Filling** - acoustic nonwoven with high sound absorption and dispersion properties
5 **Steel bracket** - situated in the frame with a machine screw thread to stabilize bracket fixing (concerns desk screens)

Ogi Drive handle - dimensions (inch/mm)

1 **Ogi Drive screen bracket** - an option with extra charge; mountable to the frame; powder-coated metal, 60x60mm profile

31 4/8'' (800)   27 4/8'' (700)

20'' (509)   16 1/8'' (409)

Caution - Ogi Drive screen bracket does not allow for pairing with screens equipped with accessories rail.

Screen fixings

1 **Ogi** - screen fixing for single desks (OPTION WITH EXTRA CHARGE); suitable for mounting to 5/8" - 1 1/8" (16 - 30 mm) thick worktops
2 **Ogi** - brackets for benches included; powder-coated steel; suitable for mounting to 5/8" - 1 1/8" (16 - 30 mm) thick worktops

Screen brackets for sliding top desks

1 **Single desk bracket** - mountable to the metal beam
2 **Brackets for benches** - mountable to the metal beam

Attention - the screen should be mounted before the worktop assembly.

Desktop screens - for single desks

1 **Fabric** - accoustic class A, pinable
2 **Fixing element** - powder coated metal
3 **Zip fastener**

14" (355)
25 5/8" (650)
19 7/8" (505)
31 4/8" (800)

Side screens - for single and bench desks

1 **Sonic screens** - accoustic class A, zip
   fastener, pinable
2 **Fixing for side screens** - powder coated
   metal, color: M009 - aluminum semi-matt

14" (355)
25 5/8" (650)
19 7/8" (505)
31 4/8" (800)

Partition screens - for bench desks

1 **Sonic screens** - acoustic class A,
   pinnable, zip color - graphite
2 **Side screen fixings for Ogi desks** -
   foot 2 pcs

Accessories for function rail

1 **Accessories rail** - max load: 3.5 kg per
   point, 7 kg per side
2 **Monitor holder** - powder coated steel,color:
   M009 - aluminum semi-matt
3 **Pencil case** - powder coated steel
4 **Shelf** - A4 size, powder coated steel
5 **Organizer** - powder coated metal

ATTENTION: Only accessories from .mdd offer can be mounted

Sonic - Wall-mounted acoustic screen

1 **Screen** - one-side upholstery, Sonic technology structure with A-class acoustics certificate, pinnable
2 **Frame** - glued solid wood structure
3 **Filling** - acoustic nonwoven with high sound absorption and dispersion properties
4 **Fixing** - mounting clips (4 pcs); Note - to mount the screens it is necessary to purchase a set of reusable markers, at least 1 set of markers per order.

Sonic - ceiling acoustic screen

1 **Ceiling screens (fixed vertically)** - Sonic technology structure with A-class acoustics certificate
2 **Ceiling screens (fixed horizontally)** - one-side upholstery, Sonic technology structure with A-class acoustics certificate
3 **Wire rope** - stainless steel, adjustable length of screens hanging vertically in the scope of 3 7/8" - 35 3/8" (100 - 900 mm) and of screens hanging horizontally in the scope of 7 7/8"-55 1/8" (200 - 1400 mm)

Sonic - ceiling screen – rail for hanging screens

1 **Joining rail** - aluminium, 2 units
2 **Fixing element**

ATTENTION - rawlplugs for concrete ceilings with ITB approval – A1 fire resistance.

Freestanding screens

1 **Screen** - accoustic class A,
   upholstered; pinnable
2 **Zip fastener**
3 **Frame** - glued solid wood structure
4 **Filling** - acoustic nonwoven with high
   sound absorption and dispersion properties
5 **Freestanding feet** - powder coated metal
6 **Spacer** - powder coated metal; intended
   for use in screens situated between
   desks or other solid support from both sides
7 **Wheels with brake** - Ø 2 4/8" (Ø65 mm)
8 **Magnetic dry** - wipe whiteboard

Sonic - connecting element for free standing screens

1 **Connector** - powder-coated steel

ZW5   ZW6   ZW7   ZW8

Dimensions (inch/mm)

2 1/8"
(55)

5 1/8"
(130)